






4531 EXTRA GLOSS BLACK (RAL 9005)
lucios 95 / 97% - 180°C/10'



8312 SUPER MATTE BLACK (RAL 9005)
mat 2% - 180°C/20'




4464 POLAR WHITE (SPECIAL 1000)
lucios - 180°C/10'



3966 MATTE BLACK GRIT (RAL 9005)
mat / textura fina - 180°C/10'




4185 RED GRIT (RAL 3020)
semilucios / textura fina - 180°C/10'



5771 SPARKLING SILVER
lucios - 180°C/10'



5773 SPARKLING COPPER
lucios - 180°C/10'



5774 SPARKLING GOLD
lucios - 180°C/10'



5772 SPARKLING CHERRY
lucios - 180°C/10'



5218 CARBON MATTE
mat - 180°C/20'



2740 GOLD BLACK METAL
mat - 180°C/20'




7309 SILVER 5% (RAL 9006)
lucios - 180°C/10'



2568 SPECIAL SILVER 1
lucios - 180°C/10'



9892 SPECIAL SILVER 2
lucios - 180°C/10'



9968 SILVER (RAL 9006)
lucios - 180°C/10'



9970 SILVER (RAL 9007)
lucios - 180°C/10'



2007 SILVER 11
lucios - 180°C/10'




4415 GUN METAL 1
lucios - 180°C/10'



5763 GUN METAL 2
lucios - 180°C/10'



5726 PEARL GREY
lucios - 180°C/10'



5156 ALUFINISH CHAMPAGNE
lucios - 180°C/10'



9193 SUBARU GOLD (RAL 1036)
lucios - 180°C/10'



4683 BRONZE ZAR
lucios - 180°C/10'



2033 BROWN METAL
lucios - 180°C/10'



4989 DARK BRONZE
lucios - 180°C/10'



5075 LAC TRANSPARENT
lucios - 180°C/5'



4086 LAC PROTECTIE UV
lucios - 180°C/10'



5787 LAC METALIZAT
lucios - 180°C/5'



4087 LAC FOSFORESCENT
lucios - 180°C/10'
aplicat pe 4045 KAWASAKI GREEN



4138 FLUORESCENT YELLOW (RAL 1026)

lucios - 180°C/10'

aplicat pe

5114 ZINC RICH PRIMES (ALB 1000) +
4086 LAC PROTECTIE UV



4045 KAWASAKI GREEN (PANT.802c)

lucios - 180°C/10'

aplicat pe

5114 ZINC RICH PRIMER (ALB 1000) +
4086 LAC PROTECTIE UV



4140 BABY BLUE (PANT.801c)


lucios - 180°C/10'



6093 TRAFFIC RED (RAL 3020)

lucios - 180°C/10'

+ 4149 LAC METALIZAT



6349 ULTRAMARINE BLUE (RAL 5002)

lucios - 180°C/10'

+ 4149 LAC METALIZAT




1953 ARMY GREEN (RAL 6031)

mat - 180°C/20'



7459 ZINC RICH PRIMER (RAL 7040)

semilucios - 180°C/10'



5114 ZINC RICH PRIMER (RAL 9010)

semilucios - 180°C/10'



DUNALAKK COLOR
vopsele industriale

DUNALAKK Color SRL

str. Heliade între Vii nr. 8, sector 2 - București

Tel. 031 425 46 04 | Fax: 031 425 46 03

www.dunalakk.ro | office@dunalakk.ro

